

**IN THE CLAIMS**

Please amend claims 1, 6, 8, 16 and 23 as follows:

1           1. (Currently Amended) A computer system including a predetermined  
2 operating system, comprising:

3           a language information-providing section for storing and generating language  
4 information about a first language used in said operating system;

5           an on screen display (OSD) generating section for generating an OSD for setting a  
6 display environment of a display device;

7           a memory for storing a plurality of second languages used in said OSD; and

8           an OSD control section for determining whether said first language is included in  
9 said plurality of second languages, and for automatically controlling said OSD generating  
10 section to display said OSD on a display section of said display device in said first  
11 language when said first language is included in said plurality of second languages as  
12 determined by said OSD control section;

13           ~~whereby~~ wherein said language used in said OSD is automatically made to  
14 ~~conform~~ coincide with said first language used in said operating system when said first  
15 language is included in said plurality of second languages.

Claims 2-3. (Canceled)

1           4. (Previously Presented) The computer system of claim 1, wherein said OSD  
2 control section controls said OSD generating section to display said OSD by means of  
3 one of said second languages when said first language is not included in said plurality of  
4 second languages as determined by said OSD control section.

1           5. (Previously Presented) The computer system of claim 4, wherein said one of  
2 said second languages is English.

1           6. (Currently Amended) An on-screen display (OSD) displaying method,  
2 comprising the steps of:

3           storing a first language used in an operating system of a computer in a memory;

4           storing a plurality of second languages used in an OSD in said memory;

5           making a determination as to whether said first language used in said operating  
6 system is one of said second languages stored in said memory; and

7           automatically displaying said OSD in said first language when said first language  
8 is one of said second languages stored in said memory so as to automatically make said  
9 language used in said OSD ~~conform~~ coincide with said first language.

1           7. (Previously Presented) The OSD displaying method of claim 6, further  
2 comprising the step of displaying the OSD by means of one of said second languages  
3 when said first language is not one of said second languages stored in said memory.

1           8. (Currently Amended) A computer system operated by an operating system  
2 with a first language, comprising:

3           a computer body generating video signal data in response to operation of said  
4 operating system, said computer body storing first language information data about said  
5 first language and generating said first language information data; and

6           a display device coupled to said computer body for receiving said video signal data  
7 and said first language information data, said display device displaying an on-screen  
8 display (OSD) in accordance with said first language information data;

9           said display device comprising a memory for storing said first language  
10 information data and a plurality of second language information data; and

11           said display device further comprising a first key for activating said OSD and a  
12 second key for automatically setting said display device to display said OSD in said first  
13 language when said first language information data is included in said plurality of second  
14 language information data;

15           ~~whereby~~ wherein said language used in said OSD is automatically made to  
16 ~~conform~~ coincide with said first language used in said operating system.

Claim 9. (Canceled)

1           10. (Previously Presented) The computer system of claim 8, wherein said display

2 device displays a visual image in accordance with said video signal data.

Claim 11. (Canceled)

1 12. (Previously Presented) The computer system of claim 8, said display device  
2 comprising:

3 an OSD generator for generating said OSD; and

4 an OSD controller coupled between said computer body and said OSD generator  
5 for controlling said OSD generator to display said OSD in said first language when said  
6 first language information data is included in said plurality of second language  
7 information data.

Claim 13. (Canceled)

1 14. (Previously Presented) The computer system of claim 8, said display device  
2 displaying said OSD in accordance with one of said plurality of second language  
3 information data when said plurality of second language information data does not  
4 include said first language information data.

Claim 15. (Canceled)

1           16. (Currently Amended) A computer system, comprising:

2           a display device having an input section coupled to a computer body which is  
3           operated by an operating system; and

4           a memory coupled to said input section for receiving first language information  
5           data representing a first language used in said operating system through said input  
6           section, and for storing said first language information data, said memory storing second  
7           language information data representing at least one second language used in said OSD;

8           said display device automatically displaying an OSD in one of said at least one  
9           second language when said first language information data is not included in said second  
10          language information data so as to automatically make said language used in said OSD  
11          coincide with said first language used in said operating system.

Claims 17-19. (Canceled)

1           20. (Previously Presented) The computer system of claim 16, said display device  
2           displaying said OSD in said first language in response to said first language information  
3           data when said first language information data is included in said second language  
4           information data.

Claims 21-22. (Canceled)

1           23. (Currently Amended) A method in a computer system which includes a  
2 memory, said method comprising the steps of:

3           storing in the memory first language information data representing a first language  
4 used in an operating system operating said computer system;

5           storing in the memory a plurality of second language information data representing  
6 second languages used for an on-screen display (OSD); and

7           automatically displaying the OSD in said first language in accordance with said  
8 first language information data stored in said memory when said first language  
9 information data is included in said second language information data;

10          ~~whereby~~ wherein said language used in said OSD is automatically made to  
11 ~~conform~~ coincide with said first language used in said operating system.

Claim 24. (Canceled)

1           25. (Previously Presented) The OSD displaying method of claim 7, wherein said  
2 one of said second languages is English.

1           26. (Previously Presented) The method of claim 23, further comprising the step of  
2 displaying the OSD by means of one of said second languages when said first language is  
3 not included in said second languages.